



## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/634,477A  
Source: IFW  
Date Processed by STIC: 12/23/03

**THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.**

**PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:**

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

**FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221**

**Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221**

**TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:**

**<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>**

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/03):  
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03



IFWO

## RAW SEQUENCE LISTING

DATE: 12/23/2003

PATENT APPLICATION: US/10/634,477A

TIME: 07:18:29

Input Set : A:\CD 21368.txt

Output Set: N:\CRF4\12232003\J634477A.raw

4 <110> APPLICANT: Lehmann, Paul  
5       Roeddiger, Ralf  
6       Walter-Matsui, Ruth  
8 <120> TITLE OF INVENTION: TREATMENT OF DISTURBANCES OF IRON DISTRIBUTION  
10 <130> FILE REFERENCE: 21368  
C--> 12 <140> CURRENT APPLICATION NUMBER: US/10/634,477A  
C--> 12 <141> CURRENT FILING DATE: 2003-08-04  
12 <150> PRIOR APPLICATION NUMBER: 02019100.3  
14 <151> PRIOR FILING DATE: 2002-08-29  
E--> 16 <160> NUMBER OF SEQ ID NOS: ———  
18 <170> SOFTWARE: PatentIn Ver. 3.1

*mandatory* Please insert  
*Response* for <160>, total  
Number of  
Sequences  
is needed.  
Does Not Comply  
Corrected Diskette Needed  
(P5.1-2)

ERRORED SEQUENCES

**VERIFICATION SUMMARY**

DATE: 12/23/2003

PATENT APPLICATION: US/10/634,477A

TIME: 07:18:30

Input Set : A:\CD 21368.txt

Output Set: N:\CRF4\12232003\J634477A.raw

L:12 M:270 C: Current Application Number differs, Replaced Current Application No  
L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date  
L:16 M:212 E: (34) Invalid or duplicate Sequence ID Number, Number Of Sequences Unknown ✓  
L:16 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (0) Counted (1) ✓